



ENVIRONMENTAL & SOCIAL RESPONSIBILITY (/ADVOCATE/CATEGORY/ENVIRONMENTAL-SOCIAL-RESPONSIBILITY).

The changing face of pond aquaculture in China

Monday, 1 September 2008

By Dr. Peter Edwards

Trend to intensify production driven by consumer demand for higher-value species



Although most fish are raised in intensive, pellet-fed monoculture of high-value species, some farmers still cultivate vegetables on pond dikes in

the Pearl River Delta.

Dramatic changes have taken place over the last 20 years in freshwater pond aquaculture in China, with a decline in traditional integrated Chinese carp polyculture. There is a major trend of delinking integrated farming enterprises.

Prior to the modern era of formulated feed, pond nutritional inputs had to be supplied from local wastes or byproducts, but pelleted feed is now becoming the most significant source of nutrients for farmed fish. Although more carp are being produced in China today than ever before (over 80 percent of the total national inland aquaculture production), major changes are under way involving intensification and species diversification.

Traditional system

Traditional Chinese carp polyculture with up to nine species is semi-intensive with significant natural food produced from pond fertilization, supplemented with various locally available feeds. The major species are the herbivorous grass carp, filter-feeding bighead and silver carp, omnivorous common and crucian carp, and snail-eating black carp.

Several on-farm and local linkages with agriculture, animal husbandry, cottage-level industries such as distilleries and silk and soybean processing, and sanitation provide wastes or byproducts as pond nutritional inputs. Annual fish harvests range about 4 to 15 metric tons (MT)/ha.

Fertilizers for crops and ponds include animal wastes and vegetation or green manure. Supplementary feeds for fish include wheat and rice bran, soybean and rapeseed cakes, grass and waste from vegetables grown on pond dikes, and wild aquatic macrophytes and snails harvested from local water bodies. Pond mud is used to fertilize terrestrial crops grown on pond dikes. Mulberry bushes are grown for leaves to feed silkworms. The silkworm pupae are a traditional high-protein fish feed.

China's traditional polyculture reached its highest stage of development in the 1980s during the era of collective ownership. Improved grasses such as elephant and rye grass were cultivated on pond dikes to feed grass carp, and nutrient flows were greatly increased through manure from feedlot livestock as well as chemical fertilizers and formulated feed.

There are two main polyculture models: one dominated by filter-feeding bighead and silver carp stocked at relatively low densities in poorer areas and a second dominated by "feeding fish" (black, grass and omnivorous carp) stocked at higher densities in better-off provinces.

Recent changes

The introduction of a market-driven economy in the mid-1980s and the promotion of aquaculture by the government led to a surge in carp production, as it was relatively profitable compared to rice cultivation and animal husbandry. The inland fish pond area in China expanded by almost 150 percent from 1983 to 2003 as a result of farm construction on agricultural land and low-lying land subject to flooding. However, market saturation caused carp prices and thus farmer profits to fall.

Large-scale integrated farms in the major aquaculture areas have become less integrated following privatization, with widespread delinking of crops and livestock from fish ponds. Most dike crops have been eliminated except for the grass for relatively high-value grass carp. Livestock integration has also declined, as greater intensification leads to excess nutrients from the residual fertilizer effects of feed, negating the need for manure.

Semi-intensive carp polyculture still contributes an estimated 50 to 60 percent of total Chinese inland production. Grass carp is still the major cultured species in terms of total production, closely followed by silver carp, but formulated feed is increasingly fed to grass carp in addition to grass.

The trends to introduce new species and intensify production are driven by consumer demand for higher-value species rather than the lower-value, filter-feeding species that dominate the traditional system, and farmers' pursuit of greater returns. Farmers are moving increasingly to formulated feed-based production systems, as yields from intensive

monoculture of fish such as common carp and tilapia are up to three times greater than for traditional integrated carp polyculture.



Culture methods are changing in China. For example, tilapia are fed from an automated pellet feeder at this farm in Hainan Province.

Dike-pond system

The well-known integrated dike-pond system of the Pearl River Delta in southern China has changed beyond recognition. The delta is a special economic zone, and Shunde District in the center of the delta is the largest producer of electric appliances in China.

Many farmers are involved in aquaculture in ponds surrounded by urban and industrial developments, as there is a ready market for fish in the relatively affluent area. However, they mainly farm high-value species such as channel catfish, eels, freshwater prawns and soft-shell turtles in monoculture in aerated ponds. Dikes are now narrower to maximize pond surface than when the area was a major silk-producing region characterized by widespread cultivation of mulberry to feed silkworms. Some farmers, however, cultivate vegetables on pond dikes.

External inputs rising

A widely held misconception of the traditional Chinese system is that it is a more or less self-contained, ecologically balanced system requiring minimal input of energy and materials. However, the production and export of large amounts of nutrients in commercial crops such as fish, pigs, silk, sugar and vegetables required considerable nutrient flows from outside the system. The large amount of nutrients required to produce relatively high yields of marketable fish and other farm produce was mainly provided directly from animal wastes, and indirectly from the import of food and feed for resident humans and livestock, respectively.

It has often been suggested that the traditional Chinese integrated carp polyculture system could provide a model for ecologically sustainable aquaculture development elsewhere. Even though it may be environmentally sustainable and provided benefits for centuries, the dike-pond system can not compete with industry in terms of social development, economics or sustainability.

The trend to initially increase the quantity of off-farm inputs to increase production from an integrated system and subsequently to shift from locally integrated systems to more specialist systems drawing in more external inputs appears to be inevitable. However, the long-term consequences in terms of environmental sustainability remain to be seen.

Toward sustainability

The intensification of inland aquaculture from semi-intensive integration to intensive monoculture using formulated feed is causing environmental concerns in China because of pond eutrophication from excess residual nutrients and as yet limited treatment of pond effluents, potentially undermining sustainability.

As a reversion to the traditional integration is highly unlikely, additional research is required on feeding, water management and wastewater treatment technologies for intensive monoculture so that best management practices can be further developed and applied.

An example of a positive development is the “80:20 pond fish culture” system introduced by the American Soybean Association, in which about 80 percent of the harvest weight comes from one high-value species such as grass carp, crucian carp or tilapia fed pelleted feed, and the other 20 percent comes from a “service species” such as filter-feeding silver carp that help clean the water.

Although silver carp have a relatively low value compared to target fish, the improvement in water quality leads to better feed conversion, less disease, reduction or elimination of the need for chemicals and drugs, and therefore higher economic returns for farmers. Thus, some of the principles of traditional Chinese aquaculture are being reintroduced to help make pellet-fed monoculture environmentally as well as socially sustainable.

(Editor’s Note: This article was originally published in the September/October 2008 print edition of the Global Aquaculture Advocate.)

Author



DR. PETER EDWARDS

Emeritus Professor

Asian Institute of Technology

593 Soi Lad Prao 64

Bangkok 10310, Thailand

pedwards@inet.co.th (mailto:pedwards@inet.co.th).